

HOUSING SERVICES

The Housing Centre 2 Adelaide Street Belfast BT2 8PB T 03448 920 900 W nihe.gov.uk @nihecommunity

22 October 2024

Our Ref: FOI 550

Request

We received your request on 11 October 2024 for the following information:

Under the Freedom of Information Act 2000, could the NIHE please provide me with the following information:

- 1 How many NI Housing Executive properties have had reports of mould or damp since 2020/21, with a breakdown per year.
- 2- How many NI Housing Executive properties have had reports of mould or damp since 2020/21, with a breakdown per year and per council area.
- 3 How many of these cases have been resolved since 2020/21 with a breakdown per year and per council area.
- 4 How many homes have had to be vacated due to mould or damp, since 2020/21 with a breakdown per year and per council area.

Your request has been handled under the Freedom of Information Act 2000 (FOIA).

Our response

- 1 How many NI Housing Executive properties have had reports of mould or damp since 2020/21, with a breakdown per year.
- 2- How many NI Housing Executive properties have had reports of mould or damp since 2020/21, with a breakdown per year and per council area.

Properties which have reported Mould, Damp, Condensation shown by Financial Year of Report & Local Council Area **Reported Financial Year** Grand **Council Areas** 2020/2021 2021/2022 2022/2023 2023/2024 Total ANTRIM AND NEWTOWNABBEY 446 570 714 809 2,539 ARDS AND NORTH DOWN 495 443 633 773 2,344 ARMAGH CITY BANBRIDGE AND CRAIGAVON 540 609 815 1,022 2,986 **BELFAST** 1,790 1,936 2,409 3,066 9,201 CAUSEWAY COAST AND **GLENS** 391 690 567 852 2,500 DERRY CITY AND STRABANE 376 805 1,039 1,048 3,268 FERMANAGH AND OMAGH 210 274 366 377 1.227 LISBURN AND CASTLEREAGH 371 390 491 732 1,984 MID AND EAST ANTRIM 447 725 975 2,686 539

3 - How many of these cases have been resolved since 2020/21 with a breakdown per year and per council area.

279

518

6,982

320

632

8,834

366

798

10,818

1,181

2,381

32,297

216

433

5,663

We cannot provide this information as we may have resolved the initial report, but a new separate case can be reported, this may be in a different location in the property, or in a previous location as a result of a new problem (i.e. inappropriate ventilation, PIV units not being used, change in tenancy, over occupation etc) and a property could have 2/3 reports over a 5 year period covered by the request.

4 - How many homes have had to be vacated due to mould or damp, since 2020/21 with a breakdown per year and per council area.

We do not currently hold this information.

This concludes our response.

MID ULSTER

Grand Total

NEWRY MOURNE AND DOWN